# **KNOX-BOX®**

## **Rapid Entry System**

**Helping the Fire Department Protect Your Property** 





Knox-Box 3200 Series





Knox-Vauit 4100 Series






Knox-Vault 4400 Series



Knox Elevator Lobby Box



Knox Cabinets



KNOX-BOX® access provides faster emergency response without forced entry damage.



**FBC Protection Products** 



Padiooks, Key Switches





Electrical Shutdown



Knox Residential Products



SECURITY

LISTED

EQUIPMENT

SECURITY
USTED
EQUIPMENT

### The Complete UL Listed, One-Key Fire Department **Emergency Access System.**





Surface Mount

#### 3200 Series KNOX-BOX®

This leading high security, heavy-duty key box is used for most commercial applications including businesses, schools, government and public buildings, community associations and apartment complexes.

KNOX-BOX® - 3200 SERIES

Dimensions: Surface - Lift-Off Door 5"H x 4"W x 3-3/4"D

Hinged Door 4"H x 5"W x 3-3/4"D

Recessed - 7"H x 7"W (flange only)

Weight: Approx. 10 lbs.

Options: · Hinged or lift-off door models.

UL listed alarm tamper switches that connect to

building's security system.

Recessed Mounting Kit for new concrete or masonry construction. Knox-Coat® proprietary coating system with 6 times longer protection

Finish: than standard powder coat.

Colors: Dark bronze, black or aluminum.



Hinged Door Recessed Mount



Hinged Door Surface Mount



Surface Mount

Interior Closeup

#### **NEW 4100 Series KNOX-VAULT®**

A new Knox-Box that's for those applications where a 3200 Series is too small yet the 4400 Series is too large. In addition to keys and access cards, the 4100 also holds the Knox FDC Keywrench allowing departments to keep a keywrench on site.

KNOX-VAULT® - 4100 SERIES

Dimensions: Surface - 6"H x 6"W x 4-1/2"D

Recessed - 8-1/2"H x 8-1/2"W(flange only) x 4-1/2"D

Weight:

Options: · UL listed alarm tamper switches that connect to

building's security system.

· Recessed Mounting Kit for new concrete or masonry

construction.

· Access card/Keywrench holder

Dual lock options.

Finish: Knox-Coat® proprietary coating system with 6 times longer protection

than standard powder coat.

Colors: Dark bronze, black or aluminum.



Recessed Mount



4400 Series KNOX-VAULT®

Key vaults protect building keys, access cards and floor plans for larger businesses, industrial properties, public buildings and universities.

KNOX-VAULT® - 4400 SERIES

Dimensions: Surface - 7"H x 7"W x 5"D

Recessed - 9-1/2"H x 9-1/2"W(flange only) x 5"D

Weight: Approx. 29 lbs.

Options: · UL listed alarm tamper switches that connect to building's security system.

> · Recessed Mounting Kit for new concrete or masonry construction.

Dual lock options.

Knox-Coat® proprietary coating system with 6 times Finish:

longer protection than standard powder coat.

Colors: Dark bronze, black or aluminum.



**Dual Lock Option** Surface Mount



Recessed Mount









Fire departments across the country use the Knox® System to prevent costly forced entry damage while protecting lives and property. Knox key boxes, vaults and cabinets hold building entrance keys, electronic access cards and vital emergency information. Knox key switches and padlocks provide fire department access through property gates.

As the property owner, you purchase a KNOX-BOX® device then mount it near your building entrance or property gate according to fire department guidelines. Firefighters use a unique high security Knox® Master Key to open KNOX-BOX devices in their jurisdiction.



#### **KNOX® CABINET**

Knox® cabinets provide onsite, high security storage for MSDS, Haz-Mat data, pre-fire plans and key storage for industrial and commercial sites and government installations.

**KNOX® CABINET - 1300 SERIES** 

Dimensions: 18"H x 14-1/2"W x 5" or 7"D

Weight: Approx. 67 lbs.

Options: • UL listed alarm tamper switches for connection to building's

security system.

Single lock standard, dual lock and other lock options available.
40 hook key back panel and 78 hook swing panel available.

Total capacity 231 keys with expansion panels.

Model 1201 Weather Housing should be used for unprotected

outdoor installations.

Finish: Knox-Coat® proprietary coating system.

Color: Light grey.







Two Sizes Available



#### KNOX® ELEVATOR/LOBBY KEY BOX

The Knox Elevator Key Box is designed specifically for the elevator lobby. This box will hold up to 18 keys and to 2 elevator door drop keys. Optional expansion panel available for additional key storage. A smaller "Mini" version is also available that holds 8 keys.

KNOX® ELEVATOR/LOBBY KEY BOX - 1400 and 1450 (Mini) SERIES

**Dimensions:** 10-1/2"H x 7-1/2"W x 2"D or 8-1/2"H x 5"W x 2"D

Weight: 14 lbs or 9 lbs

**Options:** Alarm tamper switch; Expansion key panel **Finish:** Knox-Coat® proprietary coating system.

Color: Deep Red, Dark Bronze, Aluminum or Black with or without the

"Fire Dept Use Only" banner.









#### KNOX® REMOTE ELECTRICAL POWER SHUTDOWN SWITCH

The 4500 Series Remote Shutdown Station houses an electrical service disconnect switch that can be used by first responders during an emergency. The shutdown switch is designed to remotely operate the building's shunt trip switch which will disconnect all electrical power to the building. It can also be used to disconnect power to HVAC controls, industrial equipment lockout or photovoltaic/solar powered systems.

**KNOX® ELECTRICAL SHUTDOWN - 4500 SERIES** 

Dimensions: Surface: 7"H x 7"W x 7-1/4"D

Recessed: 9-1/2"H x 9-1/2"W Flange

Weight: 35 lbs

Color:

Options: Alarm tamper switch; Dual lock options

Finish: Knox-Coat® proprietary coating system with 6 times longer

protection than standard powder coat. Red, Black, Aluminum, Dark Bronze For contractor specs or custom items, contact factory at 800-552-5669.





#### KNOX® LOCKING FDC PRODUCTS

Knox locking FDC products protect both the intake and discharge sides of water based fire protection systems from vandalism and prevent excessive service calls. The locking FDC plug with Swivel-Guard™ covers the entire swivel connection making the set screws inaccessible and minimizing the theft of the brass connection.

For Order Information, **Please Call Your** Fire Department or Visit www.knoxbox.com

#### KNOX® FDC PLUG - 3000 SERIES

Dimensions: 1-1/2" and 2-1/2" male plug.

Weight: Approx. 4 lbs.

Solid stainless steel with Properties:

stainless front cover

Finish: Bright stainless or chrome-like stainless

Option: Swivel-Guard™

#### KNOX® StorzGuard®

Dimensions: 4" & 5" Storz connections

Weight:

Properties: Hard-anodized aluminum

KNOX® SecureCap®

Dimensions: 2-1/2" female cap

Weight:

Properties: Stainless steel exterior with

solid brass threads





Lift-off Door Surface Mount



### **KNOX® RESIDENTIAL**

The residential key box is used for fire and medical emergencies on single family homes and apartment complexes. For residential use only, it holds a maximum of two keys. It can be mounted permanently near the door or directly on the door or if the key box is needed only for a short-term illness, it is available with a temporary door hanger.



**Dimensions:** Lift-Off 5"H x 4"W x 2-3/4"D. Hinged 4"H x 5"W x 2-3/4"D.

Recessed 7"H x 7"W (flange only). Door hanger model has door bracket designed

to fit over maximum 1-7/8" thick door.

Weiaht: Approx. 7 lbs.

Options: Hinged or lift-off door models.

Finish: Knox-Coat® proprietary coating system with 6 times longer protection than standard

powder coat.

Color: Dark bronze, black or aluminum.



Hinged Door with Temporary Door Hanger



3772 Shrouded All Weather Use

3771



All Weather Use



#### **KNOX® PADLOCK**

Knox® padlocks secure equipment lockers, restricted utility areas and fire access gates.

KNOX® ALL WEATHER SHROUDED PADLOCK - Model 3772 KNOX® ALL WEATHER PADLOCK - Model 3770 KNOX® INTERIOR LIGHT DUTY PADLOCK - Model 3771



Key Switch / Heavy Stainless Cover

#### **KNOX® KEY SWITCH**

Excellent gate override for gated communities, apartment complexes, parking garages, pedestrian gates, emergency machinery shutdown and industrial gated areas.

**KNOX® KEY SWITCH - 3500 SERIES** 

Options: Momentary switch available. For custom switch applications, consult factory.



